

Foam Sector (HCFC-141b) Small Sector (<20 MT HCFC-141b consumption per year)

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
1	2	3	4	5	6	7	8=7*0.11	9=8*0.6576 [#]	10= 9/0.11
1	AAKAR INDUSTRIES	A-12-B SECTOR-58 NOIDA UP NOIDA	YASH VERMA	YASH.VERMA@AAKARINDUSTRIES.COM	Thermoware	5.0	0.55	0.36168	3.288
2	AARATI ENTERPRISES	Roy Road, Tilakwadi, Belgaum - 590006			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
3	AARAV HEATING ELEMENTS AND APPLIANCES	D-3/411, Nehru Vihar, Karawal agar Road Delhi	Sachin	Aaravheatingelements@gmail.com	Water Heater	5.0	0.55	0.36168	3.288
4	AARTI ENTERPRISES	17/1A, DHAWADE INDL ESTATE, DHAWADE WASTI, BHOSARI, PUNE PUNE	SHARAD BHOR	ARTIENTERPRISESJD@REDIFFMAIL.COM	Integral Skin	3.3	0.363	0.2387088	2.17008
5	Accumax India	105, First Floor, Vishal Tower, District Center, Janakpuri, New Delhi	Rajan Shanker	-	Commercial Refrigeration	0.5	0.055	0.036168	0.3288
6	Accurate Industrial Control Pvt. Ltd.	Dangat Industrial Estate, 78/1, Shivane, Pune	Mr. Dhanajay Jadhav	-	Commercial Refrigeration	0.5	0.055	0.036168	0.3288
7	AIR ZONE	21, Noor Veeraswamy Street, Nungambakkam, Chennai			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
8	ALLIED FROST	B-71 MAYAPURI INDUSTRIAL AREA PHASE-II NEW DELHI	N P SINGH	ALLIEDFROST@YAHOO.COM	Commercial Refrigeration	0.1	0.00726	0.004774176	0.0434016
9	ALSHA HOTEL SUPPLIES PVT. LTD	No. 3, Peters Road, Royapettah Chenna	Haja Marzukdeen	enquiry@alshahotelsupplies.com	Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
10	AMAR COOLING INDUSTRIES	46b, Chakraberia Road North, Kolkata - 700020	Mr. Ajit Pal Singh	upjitmangat@yahoo.com	Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
11	AMIT ENGINEERS	Shop Number 217, Gali Loharan Bazar, Ajmeri Gate, Delhi - 110006			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
12	AMIT POLYSEATS LTD	113/8, SWAROOP NAGAR KANPUR	SUBODH KUMAR SINGHANIA	POLYSEAT@SANCHARNET.IN, AMITPOLY@DATAONE.IN	Integral Skin	7.7	0.847	0.5569872	5.06352
13	AMUL POLYURETHANE INDUSTRIES LTD	8 KAILASAM STREET TONDIARPET CHENNAI	AMUL BOHARA		Integral Skin	0.6	0.066	0.0434016	0.39456
14	Anjani Insulation	Delhi	Mr OmPrakash	anjali.insulation@gmail.com	Discontinuous Panel	11.0	1.21	0.795696	7.2336
15	ANMOL INDUSTRIES	A-16 SECTOR-9 NOIDA NOIDA	ANU VERMA	COMFORTHERMOWARES@YAHOO.CO.IN	Thermoware	6.3	0.6875	0.4521	4.11
16	ANTARTICA EQUIPMENT (P) LTD	PLOT NO 440, HSIIDC, EPIP, PHASE - III, KUNDLI, DISSTSONEPET SONEPET	VINOD KUMAR MITTAL	AEPLOLINEYAHOO.COM	Commercial Refrigeration	0.4	0.0491986	0.032352999	0.294118176
17	APEX PREFAB	DelhiNCR + Outstation	Nikhil Gupta	bnalprefabs@hotmail.com	Water Heater	5.0	0.55	0.36168	3.288
18	ARTI ENTERPRISES	S. No. 17-1A, Dhawade Industrial Estate, Dhawade Wasti Bhosari Pune - 411039	Sharad Bhor	artienterprisesjd@rediffmail.com	Integral Skin	8.4	0.924	0.6076224	5.52384
19	ARYAN ENTERPRISES	757 SHRI KRISHNA NAGAR FILM CITY ROAD SANTOSH NAGAR BEHIND GURUKUL SCHOOL GOREGAON EAST MUMBAI	RAMAJAYAM S PILLAI	RAM.PILLAI@YAHOO.COM	Commercial Refrigeration	0.9	0.10285	0.06763416	0.614856
20	ASIA S S INDUSTRIES	Survey No 27/1, Kharadi, Pune - 411014	Mr. Hidayat Shaikh		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
21	ASIAN REFRIGERATION	PLOT NO-12 PANDAV NAGAR NR LOHA MANDI NEW DELHI	GURMAIL SINGH	ASIANREFRIGERATION70@GMAIL.COM	Commercial Refrigeration	4.0	0.4356	0.28645056	2.604096
22	ASTER TELE SERVICES PVT LTD	P-10/4 ROAD NO 5 NACHARAM PLANT HYDERABAD	SANJAY KUMAR	ASTERTELESERVICES@HOTMAIL	Discontinuous Panel	0.5	0.05445	0.03580632	0.325512
23	AVON REFRIGERATION	SHOP NO 2 11/20 SUBHASH NAGAR OPP MCD PARKING NEW DELHI	AMIT GULATI	AVONEQUIPMENTS@GMAIL.COM	Commercial Refrigeration	0.2	0.01694	0.011139744	0.1012704
24	AVON REFRIGERATION	SHOP NO 2 11/20 SUBHASH NAGAR OPP MCD PARKING NEW DELHI	AMIT GULATI	AVONEQUIPMENTS@GMAIL.COM	General Insulation	0.1	0.00726	0.004774176	0.0434016
25	AVS ENGINEERING COMPANY	B 71, 72, Mayur Vihar Phase III, Delhi - 110096	Mr Anuj Tyagi		Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
26	B COOL REFRIGERATOR	B-257, St No-6, Laxmi Nagar, Delhi - 110092			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
27	B S THERMOPACK	28 GALI NO 10 GUPTA ENCLAVE VIKAS NAGAR UTTAM NAGAR NEW DELHI	SONU GAUTAM	BSTHERMOPACK@VSNL.IN	Thermoware	6.0	0.66	0.434016	3.9456
28	BAJARANG PLASTICS (REGD)	B-139, SECTOR-1, BAWANA DSIISC IND AREA, DELHI DELHI	SURESH KUMAR JAIN	BPR.TOPOTHEWORLD@YAHOO.COM	Discontinuou s Panel	8.4	0.9196	0.60472896	5.497536
29	BALAJI REFRIGERATION PVT LTD	S-11 RAMS ENCLAVE ERRAGADDA SANTHNAGAR HYDERABAD HYDERABAD	C SURENDRA BABU	OFFICE@BALAJIREFRIGERATION.IN	Commercial Refrigeration	0.05	0.0055	0.0036168	0.03288
30	Bansal Generation	Sco 171, 1st Floor, Sector 38-c, Sector 38-c, Chandigarh	Pawan Bansal	-	Thermoware	5.0	0.55	0.36168	3.288
31	BEARDESELL PVT LTD	SARVEY NO 46 JOYTHI COLONY NEAR AOC OPP LANE OF GANASHYAM SUPER WEST MARREDPALLY HYDERABAD	MSR MURTHY	SALES.HYD@BEARDESELL.CO.IN	General Insulation	0.6	0.066	0.0434016	0.39456
32	BENSON REFRIGERATION & AIRCONDITIONING SYSTEMS	E-169 PHASE-7 INDL AREA MOHALI PUNJAB PUNJAB	RANDEEP SINGH	RISHUBEDI@YAHOO.COM	Commercial Refrigeration	2.1	0.23232	0.152773632	1.3888512
33	BESTO PUF	C-102 SECTOR-3 INDUSTRIAL AREA BAWANA DELHI	RAHUL MEHRA	BESTOPUF@GMAIL.COM	Discontinuou s Panel	2.4	0.2662	0.17505312	1.591392
34	BESTO PUF	C-102 SECTOR-3 INDUSTRIAL AREA BAWANA DELHI	RAHUL MEHRA	BESTOPUF@GMAIL.COM	General Insulation	15.6	1.7182	1.12988832	10.271712
35	BESTO PUF	C-102 SECTOR-3 INDUSTRIAL AREA BAWANA DELHI	RAHUL MEHRA	BESTOPUF@GMAIL.COM	Spray Foam	3.5	0.385	0.253176	2.3016
36	BHARAT REFRIGERATIONS PVT LTD	2/21 A KANNIAPPAN STREET, SHANTI NAGAR, RAMAPURAM OPP TO DLF	NITHYA PRAVEEN	SALES@BHARATREF.IN	Discontinuou s Panel	5.9	0.6534	0.42967584	3.906144
37	BHARTI REFRIGERATION WORKS	A-97 DASHRATH PURI DABRI PALAM ROAD NEW DELHI	SANTOSH KUMAR BHARTI	SANTOSH@BHARTIREFRIGERATION.COM	Commercial Refrigeration	0.2	0.01936	0.012731136	0.1157376
38	BHARTI REFRIGERATION WORKS	A-97 DASHRATH PURI DABRI PALAM ROAD NEW DELHI	SANTOSH KUMAR BHARTI	SANTOSH@BHARTIREFRIGERATION.COM	Discontinuou s Panel	0.1	0.01452	0.009548352	0.0868032
39	BHARTI REFRIGERATION WORKS	A-97 DASHRATH PURI DABRI PALAM ROAD NEW DELHI	SANTOSH KUMAR BHARTI	SANTOSH@BHARTIREFRIGERATION.COM	General Insulation	0.1	0.01089	0.007161264	0.0651024
40	BHUVANESHWARI ENGINEERING WORKS	No. 131, Lalbagh Road Street, Sowcarpet Chennai	Babu Singh Rajprohit	babu_singh@gmail.com	Thermoware	1.8	0.1925	0.126588	1.1508
41	BIRLA AIRCON	149, Old Delhi Chungi, Delhi Road, Meerut - 250001		delhi.office@birlaircon.com	Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
42	BLANK FILLER & CO	P 194, Block J, New Alipore, New Alipur, Kolkata - 700053			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
43	BLUE COOL SOLUTIONS	G-62, Shagun Arcade, Near Dindoshi Bus Depot, Malad (East) Mumbai	Rakesh Saini	rakeshsaini@gmail.com	Commercial Refrigeration	15.4	1.694	1.1139744	10.12704
44	BORCHE PRECISION MACHINERY AND MOULD CO.	PLOT NO. 117, BADLI INDUSTRIAL ESTATE, PHASE II, NEAR BADLI TELEPHONE EXCHANGE DELHI	ANSHIKA GUPTA	BORCHEPRECISION@GMAIL.COM	Thermoware	1.5	0.165	0.108504	0.9864
45	BRIO ENERGY PVT. LTD	Plot No. A-145/5, MIDC-Pawane Khairane Thane - Belapur Road Navi Mumbai	Suarya	Brio_Energy@gmail.com	Water Heater	5.0	0.55	0.36168	3.288
46	CACTUS PROFILES PVT LTD	J-241 SECTOR 63 NOIDA	SOMNATH	SOMNATH@CACTUSPROFILES.COM	Discontinuou s Panel	4.4	0.484	0.3182784	2.89344
47	CASCADE HELIOTHERMICS PVT. LTD.	Chennai	Kalyana Kumar,	info@visitcasca.de.com	Discontinuou s Panel	4.4	0.484	0.3182784	2.89344
48	CELLO THERMOWARE	Mumbai	Mr. Pradeep	info@cellothermoware.com	Thermoware	7.5	0.825	0.54252	4.932
49	CHANDRA COOLING CABINETS	1/12, WHS, New Timber Market, Kirti Nagar, Delhi	Mr.SUMIT WAHI	chandracoolingcabinet@gmail.com	Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
50	CHARU INDUSTRIES	T-4/23 MANGAL PURI INDUSTRIAL AREA PHASE-1 NEW DELHI	VICKY AGGARWAL	CHARUINDUSTRIES@GMAIL.COM	Thermoware	6.3	0.6875	0.4521	4.11
51	CHARU INDUSTRIES	T-4/23 MANGAL PURI INDUSTRIAL AREA PHASE-1 NEW DELHI	VICKY AGGARWAL	CHARUINDUSTRIES@GMAIL.COM	Water Heater	6.3	0.6875	0.4521	4.11
52	Chefline	, Janak Pun Delhi Delhi India Delhi 110058		-	Commercial Refrigeration	0.2	0.0242	0.01591392	0.144672
53	CHILLING SYSTEM	Plot No 212, Besa Road, Besa, Nagpur - 440034			Commercial Refrigeration	17.6	1.936	1.2731136	11.57376
54	CHILTON REFRIGERATION PVT. LTD.	N.H.-47, Koonamthai, Edappally, P.O., Kochi, Kerala	Mr. Vageesh	chiltonmktg@chiltonindia.com	Commercial Refrigeration	12.1	1.331	0.8752656	7.95696

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
55	CHOUHAN COOL ENGINEERS	Jaipur		hvac@chauhanengineering.co	Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
56	CLASSIC KITCHEN EQUIPMENT	No. 1/1017, Lakshmpuram, Sathy Road, Ganapathi Coimbatore - 641006	Shreejit Nair	shrijitnair05@rediffmail.com	Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
57	CLIMAIRE INDIA	No.378/45, Mallappa Reddy Layout, Koramangala 8th Block, Bangalore - 560095	Mr Stanley		Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
58	CLIMATROL CORP	Wz-176, Jail Road, Delhi - 110058			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
59	COASTAL COOLS	No.77/1, 5th Cross, 1st Main Road, Okalipuram, Bangalore - 560021			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
60	COLD DRAFT	Laxmi Narayana Apartments Ground Floor G2, Himayat Nagar,			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
61	COLDSTAR SOLUTIONS PVT LTD	156A, Picnic Garden Road, Near 39 Bus Stand Kolkata - 700039	Madhu Sudan Sharma	info@coldstar.in	Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
62	COLDWAY INNOVATIONS PVT. LTD.	FF-112, Neelkanth Plaza, Above Honest Restaurants, Near Sahjanad Plaza, Bhattha, Paldi Ahmedabad	Sachin Mehta		Commercial Refrigeration	15.4	1.694	1.1139744	10.12704
63	Colourtech India	Goregaon Mumbai	Mr. Santosh	santosh.mishra1982@gmail.com	General Insulation	0.5	0.055	0.036168	0.3288
64	COMFORT MOULDER (P) LTD	A-80 SECTOR-58 NOIDA NOIDA	MATUL VERMA	MATUL.VERMA111@GMAIL.CO	Thermoware	7.5	0.825	0.54252	4.932
65	COMFORT THERMOWARES	A-16, Sector-9, Nioda Delhi	Matul Verma		Thermoware	9.0	0.99	0.651024	5.9184
66	COMMERCIAL REFRIGERATION CENTRE	6 SARAN BUILDING RAM NAGAR PAHAR GANJ NEW DELHI	DAVINDER SINGH	COMMERCIALREFCENTRE.1985@GMAIL.COM	Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
67	COMMERCIAL REFRIGRATION CO	1&2,Saran Bldg, Qutub road, Ram Nagar-Paharganj, Delhi			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
68	COOL STAGE REFRIGATION	D-491, Sahibabad, Ghaziabad			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
69	COOL TECH ENGINEERS	S.No.37/1, Plot No. 43, Chandan Nagar, Kharadi Road, Chandan Nagar-Kharadi, Pune			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
70	CREST ENGINEERS PVT LTD	B-42 SECTOR 57 NOIDA NOIDA	VINAY KATHURIA	CRESTENGINEERS@GMAIL.CO	Commercial Refrigeration	3.3	0.363	0.2387088	2.17008
71	CREST ENGINEERS PVT LTD	B-42 SECTOR 57 NOIDA NOIDA	VINAY KATHURIA	CRESTENGINEERS@GMAIL.CO	Discontinuous Panel	3.3	0.363	0.2387088	2.17008
72	CREST ENGINEERS PVT LTD	B-42 SECTOR 57 NOIDA NOIDA	VINAY KATHURIA	CRESTENGINEERS@GMAIL.CO	General Insulation	3.3	0.363	0.2387088	2.17008
73	CREST ENGINEERS PVT LTD	B-42 SECTOR 57 NOIDA NOIDA	VINAY KATHURIA	CRESTENGINEERS@GMAIL.CO	Spray Foam	3.8	0.4125	0.27126	2.466
74	D D REFRIGERATION	2151/17 & 2151/17 CA/3A, Metro Pillar No. 254, New Patel Nagar, New Delhi		info@ddrefrigeration.com	Commercial Refrigeration	17.6	1.936	1.2731136	11.57376
75	DATAREF INDUSTRIES	76-A C BLOCK DILSHAD GARDEN BEHIND TEL EXCHANGE DELHI	GURUDUTT	G_SHARMA47@HOTMAIL.COM	Commercial Refrigeration	0.2	0.01694	0.011139744	0.1012704
76	DATAREF INDUSTRIES	76-A C BLOCK DILSHAD GARDEN BEHIND TEL EXCHANGE DELHI	GURUDUTT	G_SHARMA47@HOTMAIL.COM	Discontinuous Panel	0.2	0.01694	0.011139744	0.1012704
77	DATAREF INDUSTRIES	76-A C BLOCK DILSHAD GARDEN BEHIND TEL EXCHANGE DELHI	GURUDUTT	G_SHARMA47@HOTMAIL.COM	General Insulation	0.1	0.00847	0.005569872	0.0506352
78	Deepee Cooling Products Pvt. Ltd.	6230, GIDC Estate, Road no. 62,, Sachin, Surat, Gujarat 394230	Dharmesh		Commercial Refrigeration	0.5	0.055	0.036168	0.3288
79	DELTA	MAYFAIR RESIDENCY, 1275 MADURDAHA , HOSSAINPUR , Kolkata - 700107			Commercial Refrigeration	19.8	2.178	1.4322528	13.02048
80	DELTA FOAMS ENGG CO	24-26, KHARADI, PUNE PUNE	RANJIT GURU	RANJITGURU@GMAIL.COM	Discontinuous Panel	13.9	1.5246	1.00257696	9.114336
81	DESMON CONTINENTAL FRIGO	76f, Udyog Vihar, Gurgaon - 122016, Nr Indiabulls.ph -IV	Mr. Chandan Kumar		Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
82	Disha Industries	45, HBCS Chandralayout, II Stage, 5th Cross Bengaluru - 560040			Commercial Refrigeration	0.5	0.055	0.036168	0.3288
83	DIVYA AEROSOLS AND INTER	804, GOLDEN TRIANGLE BULDG, OPP SARDAR PATEL STADIUM AHMEDABAD	MUKESH PATEL	DIVYACHEM2007@YAHOO.COM	Discontinuous Panel	1.2	0.132	0.0868032	0.78912
84	DOLF REFRIGERATION	Gali No. 2, Plot No. 296, Purana Jalupra, M I Road, Jaipur - 302001			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
85	DREAM KITCHENS	15/22, Galli 8, H Block, Raghu Nagar, Dabri Delhi - 110045	Varun Kapoor	varun@dreamkitchensindia.com	Commercial Refrigeration	19.8	2.178	1.4322528	13.02048
86	EAGLE FLASK INDUSTRIES LIMITED	No. 3, Circus Row Kolkata	Mr. Riaz Padamsee	mitali@eagle4gifts.com	Thermoware	2.5	0.275	0.18084	1.644
87	EAGLE HOME APPLIANCE PRIVATE LIMITED	F-15, Phase-1 New Delhi	Wassem Ahmed	eagle_home@hotmail.com	Thermoware	2.5	0.275	0.18084	1.644
88	ELIM SYSTEMS	No. 22/15, New Boag Road, T. Nagar Chennai - 600017	M Bilal	elimsystems@gmail.com	Discontinuous Panel	13.2	1.452	0.9548352	8.68032
89	ELITE REFRIGERATION PVT LTD	D 4/2, Okhla Industrial Area Phase I, Delhi	Mr. Krishan Kant Gaur	elite@ndf.vsnl.net.in	Commercial Refrigeration	15.4	1.694	1.1139744	10.12704
90	ELPAR ELECTRICALS PVT LTD	A-16 PH-II MANGOLPURI IND AREA DELHI DELHI	HARISH SATIA	ELPAR_ELECTRICALS@YAHOO.COM	Water Heater	2.5	0.275	0.18084	1.644
91	EVEREST REFRIGERATION	NO 5 RAMANNA NAGAR THADAGAM ROAD IDAYARPALAYAM COIMBATORE	M RAMCHANDRAN	EVERESTCHILLER5@GMAIL.COM	Commercial Refrigeration	0.4	0.044	0.0289344	0.26304
92	EVERSHINE METAL INDUSTRIES PVT LTD	E-20-B SEC-8 NOIDA NOIDA	SANDEEP JAIN	EVERSHINEMETAL@GMAIL.COM	Spray Foam	5.0	0.55	0.36168	3.288
93	Excel Refrigeration Service	No 24, K H Road, Bangalore - 560027		excelrefrigerationservice@yahoo.co.in	Commercial Refrigeration	0.5	0.055	0.036168	0.3288
94	FINE REFRIGERATION	A-24, Model Town, Delhi			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
95	FLOWELL INDUSTRIES	C-32, Industrial Focal Point, Chanalon, Kurali Mohali	Amarjit Singh	-	Commercial Refrigeration	4.2	0.462	0.3038112	2.76192
96	FLURO BOND INDUSTRIES	GATE NO. 58/1, VILLAGE DAKIVALI, POST CHAMBHALE TAL WADA	VINOD THAKKAR	INFO@FLUROBONDPUF.COM	Commercial Refrigeration	9.9	1.089	0.7161264	6.51024
97	FOCUSUN ENERGY SYSTEMS	Chennai	Mr. Jagdish Kumar	purchase@focunsolar.com	Water Heater	0.5	0.055	0.036168	0.3288
98	FRANKE FABER INDIA	PLOT NO L7 MIDC WALUJ AURANGABAD	SHAIKH RAFIUDDIN	RAFIUDDIN.SHAIKH@FRQANKE.COM	Commercial Refrigeration	2.2	0.242	0.1591392	1.44672
99	FRESH AIR ENGINEERS	C-257 NOIDA SEC-63 NOIDA	NARESH	NARESH.GUATI63@GMAIL.COM	Commercial Refrigeration	0.3	0.0363	0.02387088	0.217008
100	FRIENDS REFRIGERATION WORKS	19-20 SARAN BUILDING RAM NAGAR NEW DELHI	AMARJEET SINGH	FRIENDREFRIGERATIONS9@GMAIL.COM	Commercial Refrigeration	0.4	0.04356	0.028645056	0.2604096
101	FRIGO GLASS INDIA PVT LTD	26-A, Manesar, Gurgaon - 122051, Sec-3, IMT Manesar	Mr. Satish Kumar		Commercial Refrigeration	19.8	2.178	1.4322528	13.02048
102	FROSTCO REFRIGERATION	A-146/6, Main Vikas Mg, Shakarpur, Delhi - 110092	Mr. Saini		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
103	G S AIR CONDITION & REFRIGERATION	No. 34, 15th Kamarajar Street, M.G.R Nagar Chennai	V.venkatesan/kamalakannan	gsair.ref12@yahoo.in	Discontinuous Panel	15.4	1.694	1.1139744	10.12704
104	GANESH REFRIGERATION WORK	At-Post Vinchur Dalvi, Tal. Sinner, Nashik, Maharashtra, India - 422010	Mr. Arvind Kapse		Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
105	GAS POINT	Plot No 11, New Bhoiguda, Hyderabad - 500003			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
106	GASA ENGINEERING PVT LTD	J2B, AKVN INDUSTRIAL AREA, MALANPUR, BHIND	MR. J. K. CHOPRA	MEPLPUR@HOTMAIL.COM	Discontinuous Panel	3.1	0.3388	0.22279488	2.025408
107	GAUTAM REFRIGERATION	NH 21, GUTKAR MANDI, (HP) H P	YASH PAL MONGIA		Commercial Refrigeration	0.5	0.051788	0.034055789	0.30959808
108	GAYATRI REFRIGERATION	22 Municipal Shopping Center, Kalol, Gandhinagar-Gujarat			Commercial Refrigeration	1.3	0.1452	0.09548352	0.868032
109	GENERAL ELECTRICAL AND MECHANICAL ENGINEERS	NO. 900, Sachapir Street, Opposite Sachapir Dargah, Camp Pune 1 Pune - 410001	Prabodh Kumar Singh		Commercial Refrigeration	19.8	2.178	1.4322528	13.02048
110	GHANSHAM ICE BOX MFRS	J-293-294, POCKET N, SEC 3, BAWANA IND AREA, DELHI DELHI	JITENDER SHADIJA	GIBM_12345@REDIFFMAIL.COM	Thermoware	5.8	0.6336	0.41665536	3.78776
111	GLOBAL FIBRE GLASS PRODUCTS	91/A PHASE-I IDA JEEDIMETLA HYDERABAD	P VENKATA HARI PRASAD	GLOBAL_PWD@HOTMAIL.CO	Discontinuous Panel	0.5	0.0521994	0.034326325	0.312057504
112	Global Insulation	C/O NEELAM KHANNA 50, AMBA ENCLAVE, AHINSA MARG, SECTOR-9, ROHINI, NEW DELHI NEW DELHI	MADAN LAL / O P SAINI	MADANKHANNA@YAHOO.COM	Discontinuous Panel	11	1.21	0.795696	7.2336
113	GLOBAL INSULATION	C/O NEELAM KHANNA 50, AMBA ENCLAVE, AHINSA MARG, SECTOR-9, ROHINI, NEW DELHI NEW DELHI	MADAN LAL / O P SAINI	MADANKHANNA@YAHOO.COM	General Insulation	1.5	0.1694	0.11139744	1.012704
114	GLOBAL INSULATION AND COATINGS	295 GROUND FLOOR OPP FLYOVER DILLER NO 16 NEAR SBI MAIN MATHURA ROAD BADARPUR NEW DELHI NEW DELHI	MADAN KHURANA	MADANKHURANA@YMAIL.COM	General Insulation	1.5	0.1694	0.11139744	1.012704

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
115	GLOBAL INSULATION AND COATINGS	295 GROUND FLOOR OPP FLYOVER DILLER NO 16 NEAR SBI MAIN MATHURA ROAD BADARPUR NEW DELHI NEW DELHI	MADAN KHURANA	MADANKHURANA@YMAIL.COM	Spray Foam	5.3	0.5775	0.379764	3.4524
116	GLOBE INTERNATIONAL INC	D-29/A CHHATTARPUR ENCLAVE NEW DELHI (OFFICE) H-1/205 RIICO INDL ESTATE CHOPANKI BHIWADI-301109 RAJASTHAN NEW DELHI	RAJAN SHARMA	RAJAN.SHARMA@GLOBEINTERNATIONAL.CO.IN	Discontinuous Panel	13.2	1.452	0.9548352	8.68032
117	GLOBE INTERNATIONAL INC	D-29/A CHHATTARPUR ENCLAVE NEW DELHI (OFFICE) H-1/205 RIICO INDL ESTATE CHOPANKI BHIWADI-301109 RAJASTHAN NEW DELHI	RAJAN SHARMA	RAJAN.SHARMA@GLOBEINTERNATIONAL.CO.IN	General Insulation	3.3	0.363	0.2387088	2.17008
118	GLOBE INTERNATIONAL INC	D-29/A CHHATTARPUR ENCLAVE NEW DELHI (OFFICE) H-1/205 RIICO INDL ESTATE CHOPANKI BHIWADI-301109 RAJASTHAN NEW DELHI	RAJAN SHARMA	RAJAN.SHARMA@GLOBEINTERNATIONAL.CO.IN	Spray Foam	5.3	0.5775	0.379764	3.4524
119	GREENS TECHNOVATIVE EQUIPME	21, Chaturbai Bhavan, Mathuradas Road, Kandivali West, Mumbai	Mr. MANISH PAREKH		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
120	GREENTEK INDIA PVT LTD	PLOT NO 8 LEPAKSHI COLONY WESTMANREDPALLY SECUNDERABAD LIONS CLUB EYE HOSPITAL TELANGANA	RESHMA JESANI	GREENTEKINDIA@GMAIL.COM	Thermoware	0.23	0.0253	0.01663728	0.151248
121	GSM GLOBAL	58 B DAMODAR PARK IND AREA DILSHAD GARDEN G T ROAD DELHI DELHI	GURJEET SINGH	EXELENTCARACCESSORIES@YAHOO.CO.IN	Integral Skin	2.8	0.308	0.2025408	1.84128
122	GUJRAL AIRCON LTD	59-D, Kamla Nagar, Kamla Nagar, Delhi-			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
123	HAFFIX EQUIPMENT TECHNOLOGIES	Dashrath Singh Compound, Caves Road, Jogeshwari East, Mumbai	Mr. Chandrakant Yadav		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
124	HAMILTON HOUSEWARE PVT. LTD.	Kaise-I-Hind Building, 3rd Floor, 4th Floor, Asian Building, R. Kamani Marg, Currimbhoy Rd, Ballard Estate, Fort, Mumbai, Maharashtra	Ajay Vaghani	info@hamiltonindia.in	Thermoware	10.0	1.1	0.72336	6.576
125	HEMAIR	SARVEY NO 296/7 IDA BOLLARAM MIYAPUR MEDAK TELANGANA MEDAK	D S RAO	HEMAIR@GMAIL.COM	Discontinuous Panel	1.15	0.1265	0.0831864	0.75624
126	HICON ENGINEERING CO PVT LTD	(FORMERLY KNOWN AS ARIHANT TELE EQUIPMENT PVT LTD), PLOT NO 108-109-152 & 153, UDYOG KENDRA (TOY CITY), ECO TECH-III, GREATER NOIDA NOIDA	RAVI BAFNA	RAVI@HICON.CO.IN / ACCOUNTS@HICON.CO.IN	General Insulation	6.0	0.656304	0.43158551	3.92350464
127	HICON ENGINEERING CO PVT LTD	(FORMERLY KNOWN AS ARIHANT TELE EQUIPMENT PVT LTD), PLOT NO 108-109-152 & 153, UDYOG KENDRA (TOY CITY), ECO TECH-III, GREATER NOIDA NOIDA	RAVI BAFNA	RAVI@HICON.CO.IN / ACCOUNTS@HICON.CO.IN	Integral Skin	1.8	0.19888	0.130783488	1.1889408
128	HICON ENGINEERING CO PVT LTD	(FORMERLY KNOWN AS ARIHANT TELE EQUIPMENT PVT LTD), PLOT NO 108-109-152 & 153, UDYOG KENDRA (TOY CITY), ECO TECH-III, GREATER NOIDA NOIDA	RAVI BAFNA	RAVI@HICON.CO.IN / ACCOUNTS@HICON.CO.IN	Spray Foam	7.7	0.847825	0.55752972	5.068452
129	HICON ENGINEERING CO PVT LTD	(FORMERLY KNOWN AS ARIHANT TELE EQUIPMENT PVT LTD), PLOT NO 108-109-152 & 153, UDYOG KENDRA (TOY CITY), ECO TECH-III, GREATER NOIDA NOIDA	RAVI BAFNA	RAVI@HICON.CO.IN / ACCOUNTS@HICON.CO.IN	Water Heater	6.0	0.66275	0.4358244	3.96204
130	HIMACHAL EQUIPMENT COMPANY	14/88, Geeta Colony, Delhi - 110031	Narender Vashistha		Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
131	HIMALEEYIA AIR CON	Radhe Complex Shop No.14, Jetpar Road, Morbi 2, Morbi HO, Morbi			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
132	HINDUSTAN REFRIGERATION	2,4 & 5, Netaji Subhash Marg, Darya Ganj, Delhi	Jaspal Singh		Commercial Refrigeration	1.3	0.1452	0.09548352	0.868032

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
133	HOTWARE ELECTRICALS	VILLAGE KANLI SEC-1 DIST SOLAN PARWANOO HIMACHAL PRADESH	ARUN BHUTORIA	HWE_DECO@YAHOO.IN	Water Heater	8.1	0.89375	0.58773	5.343
134	HPS AIR SYSTEMS PVT LTD	391/A-3, WADALA TRUCK TERMINAL PROJECT, WADALA MUMBAI MUMBAI	INDERJIT SINGH		Discontinuous Panel	2.5	0.280236	0.184283194	1.67530176
135	HPS AIR SYSTEMS PVT LTD	391/A-3, WADALA TRUCK TERMINAL PROJECT, WADALA MUMBAI MUMBAI	INDERJIT SINGH		Discontinuous Panel	2.0	0.22022	0.144816672	1.3165152
136	ICE MAKE REFRIGERATION P LTD	SURVEY NO 226 227 DANTALI INDL ESTATE GOTA VADSAR ROAD VIA AHMEDABAD TAL KALOL GANDHINAGAR	R P PATEL	INFO5PATEL@GMAIL.COM / INFO@ICEMAKEINDIA.COM	Commercial Refrigeration	17.6	1.936	1.2731136	11.57376
137	IKON INSTRUMENTS	5541/5 NEW CHANDRAWAL JAWAHAR NAGAR NEAR MALKA GANJ NEW DELHI	G P ARORA	INFO@IKONINSTRUMENTS.COM	Commercial Refrigeration	2.6	0.2904	0.19096704	1.736064
138	INDO AIR IND	1/23 Double Storey, Sushmita Cplx, Jangpura, Delhi - 110014			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
139	INDUSTRIAL FOAM	68-A URMI SOCIETY PRODUCTIVITY ROAD VADODARA GUJARAT GUJARAT	PRAFULLA SHROFF	NAINESHSHROFF@GMAIL.COM	Spray Foam	0.9	0.09504	0.062498304	0.5681664
140	INSTECH SYSTEMS	9144/3 MULTANI DHANDA PAHARGANJ NEW DELHI	S PAL	INSTECHSYSTEMS@GMAIL.COM	Commercial Refrigeration	0.2	0.0242	0.01591392	0.144672
141	INSULATION SYSTEMS PVT LTD	1-132 MALLIKARJUNA NAGAR PEERJA GUDA BODDUPPAL MAIN ROAD HYDERABAD	SUNIL RAJ	ADMIN@INSULATIONSYSTEMS.IN	General Insulation	0.45	0.0495	0.0325512	0.29592
142	INSULATIONS INDIA PROJECTSPVT. LTD.	Chennai	R.Karthikeyan	insulationsindia@live.in	Discontinuous Panel	6.6	0.726	0.4774176	4.34016
143	INTEGRATED CLEAN ROOM TECHNOLOGY PVT LTD	201 SRIVEN SAI TOWERS VARUNA BLOCK KOMPALLY HYDERABAD	P RAVI CHANDER NATH REDDY	INFO@ICLEANTECH.COM	Discontinuous Panel	1.18	0.1298	0.08535648	0.775968
144	ION INSTRUMENTS	Delhi Gpo, Delhi - 110006			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
145	ISOTHERM PUF PANEL PVT. LTD.	Block No. 623, Manjusar Savli Road, Near Lamdapura Bus Stop, Manjusar Vadodara - 391775	Kush Adeshra	kush@isotherm.in	Discontinuous Panel	15.4	1.694	1.1139744	10.12704
146	J B ELECTRO PRODUCTS	B-31/2 GROUP INDUSTRIES AREA WAZIRPUR NEW DELHI	ATUL JAIN	JBE_WARMCO@YAHOO.CO.IN	Water Heater	3.3	0.3575	0.235092	2.1372
147	J C INTERNATIONAL	PLOT NO 58 HPSIDC IND AREA LTD BADDI DIST SOLAN HIMACHAL PRADESH SOLAN	NITIN JAIN /PRAMOD JAIN	NITIN@MARCINDIA.BIZ	Water Heater	13.8	1.52075	1.0000452	9.09132
148	J S PUF SYSTEM & SERVICES	656, BLOCK NO 28, RIDHI SIDHI APARTMENT, GROWA, BARODA BARODA	LAKSHMAN SINGH	JSPUFFSYSTEM@GMAIL.COM	General Insulation	1.5	0.1694	0.11139744	1.012704
149	J S PUF SYSTEM & SERVICES	656, BLOCK NO 28, RIDHI SIDHI APARTMENT, GROWA, BARODA BARODA	LAKSHMAN SINGH	JSPUFFSYSTEM@GMAIL.COM	Spray Foam	5.3	0.5775	0.379764	3.4524
150	J.K. ELECTRICALS PVT. LTD.	D-24, Sector-2, Bawana Industrial Area Delhi - 110039	Deepak Garg	Activaappliance@gmail.com	Water Heater	5.0	0.55	0.36168	3.288
151	J.V.G. ENTERPRISES	shop no-2151/E1 T3, MAIN PATEL ROAD, New Patel Nagar, Delhi			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
152	Jagsons Industries	S-109 BADLI INDUSTRIAL QAREA, PHASE DELHI	Mr.Gaganjitsingh /Amandeepsingh	JJ.JAYPEE@GMAIL.COM	Commercial Refrigeration	0.5	0.055	0.036168	0.3288
153	Jagsons Industries	S-109 BADLI INDUSTRIAL QAREA, PHASE DELHI	Mr.Gaganjitsingh /Amandeepsingh	JJ.JAYPEE@GMAIL.COM	General Insulation	0.5	0.055	0.036168	0.3288
154	JAI DURGA PLASTIC MOULDERS	B-22 SECTOR-5 DSIDC BAWANA DELHI DELHI	M L SINGLA	SINGLAML61@GMAIL.COM	Integral Skin	2.0	0.22	0.144672	1.3152
155	JAI DURGA PLASTIC MOULDERS	B-22 SECTOR-5 DSIDC BAWANA DELHI DELHI	M L SINGLA	SINGLAML61@GMAIL.COM	Water Heater	5.0	0.55	0.36168	3.288
156	JAI DURGA POLYURETHANE INDUSTRIES	B-22 SECTOR-5 DSIDC BAWANA DELHI DELHI	M L SINGLA	SINGLAML61@GMAIL.COM	General Insulation	13.2	1.452	0.9548352	8.68032
157	JAL INSTRUMENTS	311/6, A B Road, Indore - 452011		jai_instruments@yahoo.com	Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
158	JASH INTL.	Mumbai	Bhupendra Dhakad	jash.2013@yahoo.com	Thermoware	3.0	0.33	0.217008	1.9728
159	JAY ENTERPRISES	Ahmedabad	Vinay Bhai Patel	jayenterprise1010@gmail.com	Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
160	JAY KHODIYAR MANUFACTURE	Ahmedabad	Mr. Rohit Patel	jaysun.rajkot@gmail.com	Water Heater	0.5	0.055	0.036168	0.3288
161	JAY LAXMI ENTERPRISES	E-76 BAHADRABAD IND AREA HARDWAR HARDWAR		LALITPUF@REDIFFMAIL.COM	Integral Skin	2.0	0.22	0.144672	1.3152
162	JAY LAXMI ENTERPRISES	E-76 BAHADRABAD IND AREA HARDWAR HARDWAR		LALITPUF@REDIFFMAIL.COM	Water Heater	10.0	1.1	0.72336	6.576

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
163	JINDAL MECTEC PRIVATE LIMITED (UNIT-III)	REGD OFFICE- B-29 SANJAY MARKET POCKET-III SECTOR 2 ROHINI DELHI NALAGARH (HIMACHAL PRADESH)	RAVI GUPTA	RAVI.GUPTA@JINDALBROTHERS.IN	Discontinuous Panel	15.1	1.66254	1.093286304	9.9389664
164	JOFLO INDUSTRIES PVT LTD	PLOT NO 29 IDA CHARLAPALLY PHASE-III HYDERABAD	RAM KUMAR E	INFO@JOFLOCENTRIFUGES.COM / JOFLO@SATYAM.NET.IN	Discontinuous Panel	1.4	0.154	0.1012704	0.92064
165	KALPANA ELECTRICALS PVT. LTD.	E-37, Sector-63 Noida - 201301	Vijay Makkar	kalpan_electricals@gmail.com	Water Heater	5.0	0.55	0.36168	3.288
166	KALSJI INDUSTRIES	No. 7873/11, Street No. 6, New Janta Nagar, ATI Road Ludhiana	Jatinder Singh	info@jkskalsinds.com	Water Heater	5.0	0.55	0.36168	3.288
167	KANAK REFRIGERATION INDIA LTD	SARVEY NO 6-3-252/B/8/2 ERRMANGI COLONY BANJARA HILLS ROAD KHAIRATABAD HYDERABAD NEAR TO TAJ DECCAN HOTEL	K LANKA	KANAKREFIRGATIONINDIA@GMAIL.COM	Commercial Refrigeration	0.45	0.0495	0.0325512	0.29592
168	KARE INDUSTRIES	Plot No 51, Khasra No 155, Pooth Khurd, Delhi			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
169	KELVIN SYSTEMS PVT LTD	6&7, Dda Shopping Complex, Nds 1, Delhi		info@kelvinsystems.com	Commercial Refrigeration	19.8	2.178	1.4322528	13.02048
170	KG FOAM	-		kg_foam@gmail.com	Integral Skin	2.0	0.22	0.144672	1.3152
171	KHANNA TECHNOCRATS PVT LTD	Plot Number 1 A, Badkhal Jheel Road, Faridabad	Ajay Khanna		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
172	KIRBY BUILDING SYSTEMS PVT LTD	8-15 PHASE-III LANE-2 IDA PESHAMILARAM DIST MEDAK MEDAK	M S V SATYANARAYANA	ADMIN@KIRBYBUILDINGSYSTEMS.IN	Discontinuous Panel	0.2	0.022	0.0144672	0.13152
173	Kitchen Master	Delhi	Surender Singh	-	Commercial Refrigeration	0.2	0.0242	0.01591392	0.144672
174	KITCHEN STAR EQUIPMENT	Som Bazar, Karawal Nagar, Delhi	Yashpal		Commercial Refrigeration	0.2	0.0242	0.01591392	0.144672
175	KLE ENTERPRISE	83 RAM NAGAR MARKET OUTAB ROAD NEW DELHI	ASHOK AGGARWAL	AKAGGARWAL261252@GMAIL.COM	Commercial Refrigeration	4.4	0.484	0.3182784	2.89344
176	KOHINOOR INDUSTRY	3263, GURDEV NAGAR, NEAR POST OFFICE OFF GURDWARA LUDHIANA	JOGINDER LALADHINGRA	TARUN-1509001KOHINOOR@YAHOO.COM	Commercial Refrigeration	1.1	0.120516	0.079251322	0.72046656
177	KONARK REFRIGERATION INDIA LTD	SARVEY NO 6-3-252/B/8/2 ERRMANGI COLONY BANJARA HILLS ROAD KHAIRATABAD HYDERABAD NEAR TO TAJ DECCAN HOTEL	K LANKA	KANAKREFIRGATIONINDIA@GMAIL.COM	Commercial Refrigeration	1.1	0.121	0.0795696	0.72336
178	KOOKMATE	No. 22, Vasudevapuram Street, West Mambalam Chennai - 600033	Sumanth K		Commercial Refrigeration	19.8	2.178	1.4322528	13.02048
179	KOSOL HIRAMRUT ENERGIES PVT. LTD.	Ahmedabad	Mr. Amrish	bayas@sunray.co.in	Water Heater	3.0	0.33	0.217008	1.9728
180	KRISHNA AGRO INDUSTRIES CORPORATION	L-12, Sidco Industrial Estate, Villivakkam, Chennai	Mr. K. Srinivasan	cheemachu@vsnl.com	Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
181	KRISPCOLD ENTERPRISES	27 Damji Shamji Industrial Estate, Lbs Marg, Vikhroli West, Mumbai	Mr Balakrishna		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
182	KRONE CORPORATION	305, Crown Height, Hotel Crown Plaza Complex, Near Rithala Metro Station, Sector 10, Rohini New Delhi	Shiv Kumar Garg	kumar.garg@yahoo.com	Thermoware	5.0	0.55	0.36168	3.288
183	LAMDA ESTERN	Faridabad	Mr Kunjan	lambda_estern@gmail.com	Discontinuous Panel	0.4	0.0484	0.03182784	0.289344
184	LYRA EQUIPMENTS	Plot No 43a, PH I Nagaf Garh RD, Nangloi, Delhi			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
185	M/S AJITH ASSOCIATES	2/552 MERKKU THOTTAM MALUMACHAMPATTI COIMBATORE	C S AJITH KUMAR	AJITH.ASSOCIATES23@YAHOO.COM	General Insulation	0.2	0.0242	0.01591392	0.144672
186	M/S ALTIF TELECOMMUNICATIONS PVT. LTD.	228, Okhla Industrial Estate, Phase-III, New Delhi I-77, Site-5, Kasna, Greater Noida	Mr. Mukul Kumar	Mukul.kumar15@gmail.com	Spray Foam	19.5	2.145	1.410552	12.8232
187	M/S DYNAMIC TELESYSTEMS PVT. LTD.	DelhiNCR+Out Station	Kapil Kumar	kapilkumar1970@yahoo.in	Discontinuous Panel	3.5	0.3872	0.25462272	2.314752
188	M/S KRISHNA INSULATIONS & ENGINEERS PVT LTD	193/A, GIDC INDUSTRIAL ESTATE, NR TELEPHONE EXCHANGE, NANDESARI, VADODARA VADODARA	SANDIP PATEL	INFO@KIEPL.COM	Discontinuous Panel	3.0	0.32736	0.215271936	1.9570176

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
189	M/S KRISHNA INSULATIONS & ENGINEERS PVT LTD	193/A, GIDC INDUSTRIAL ESTATE, NR TELEPHONE EXCHANGE, NANDESARI, VADODARA VADODARA	SANDIP PATEL	INFO@KIEPL.COM	General Insulation	1.8	0.19272	0.126732672	1.1521152
190	M/S KRISHNA INSULATIONS & ENGINEERS PVT LTD	193/A, GIDC INDUSTRIAL ESTATE, NR TELEPHONE EXCHANGE, NANDESARI, VADODARA VADODARA	SANDIP PATEL	INFO@KIEPL.COM	Spray Foam	3.2	0.349536	0.229854874	2.08958976
191	M/S SHANKAR REFRIGERATION AND ENGG	A-20, MIDC, AMRAVATI AMRAVATI	MR. MOHANLAL BASANTWANI	SHANKARREFRIGERATION@REDIFFMAIL.COM	Commercial Refrigeration	1.1	0.121	0.0795696	0.72336
192	M/S SUNPREETH ENGINEERS	NEW NO 113 OLD NO 204 SIDCO INDL ESTATE AMBATTUR INDL ESTATE CHENNAI CHENNAI	V V JAYAPRAKASH	SUNPREETH2000@YAHOO.COM	General Insulation	3.0	0.331056	0.217702426	1.97911296
193	M/S SUNSHINE PACKAGING	487/5 SCHOOL ROAD PEERA GARH DELHI-110087	SHRI BHAGWAN	SUNSHINEPACKAGING@YAHOO.CO.IN	Thermoware	2.3	0.2475	0.162756	1.4796
194	MAESTRO REFRIGERATION & ELECTRICALS	C-89, D.n.colony, Part-IV, Lajpat Nagar, Delhi			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
195	Maharaja Polyurethen	31, Rani Jhansi Road, Rani Jhansi Road, New Delhi	Manoj Kapur	manoj@mchill.in	Thermoware	0.5	0.055	0.036168	0.3288
196	MAHTO KITCHENCARE	K NO 76 NEAR SHIV MANDIR R K KAUSHIK MARG RANHOLLA VILLAGE NEW DELHI	CHANDAN SINGH	MAHTOKITCHENCARE@VSNL.IN	Thermoware	5.0	0.55	0.36168	3.288
197	Mashiana Industries	K-160, Sector-2, Bawana Industrial Area Delhi - 11003	Ranjeet Singh	-	Thermoware	0.5	0.055	0.036168	0.3288
198	MAX COOL	No 42, Anna Nagar Tair Litteri Road, Rathinapuri, Coimbatore			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
199	MAXFAITH ENGINEERS PVT LTD	GI-708 RIICO INDUSTRIAL AREA CHO PANKI BHIWADI RAJASTHAN RAJASTHAN	GIRISH KUMAR	GIRISH@MAXFAITHENGINEERS.IN / AMARJIT@MAXFAITHENGINEERS.IN	Discontinuou s Panel	4.4	0.484	0.3182784	2.89344
200	MERITO APPLIANCES (INDIA) PVT LTD	248, GIDC-II, MEHSANA (NG) MEHSANA	BARKATALI DOSAN PRASLA	MERITO248@GMAIL.COM	Commercial Refrigeration	0.8	0.0847	0.05569872	0.506352
201	MERITO APPLIANCES (INDIA) PVT LTD	248, GIDC-II, MEHSANA (NG) MEHSANA	BARKATALI DOSAN PRASLA	MERITO248@GMAIL.COM	Discontinuou s Panel	0.9	0.09922	0.065247072	0.5931552
202	MESO METALWARES PVT LTD	Plot No 20-21, Imt Manesar, Gurgaon - 122052, Sector-6	Mr. R. P. SHARMA		Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
203	MILIND POLYCHEM PVT LTD	F-22/155 SECTOR-3 ROHINI DELHI DELHI	M L SINGLA	MILINDPOLYCHEM2006@GMAIL.COM	Water Heater	2.5	0.275	0.18084	1.644
204	Minakshi Polymers	36, Sabarwal Market, Sadar Bazar, Delhi-110006		-	Thermoware	0.5	0.055	0.036168	0.3288
205	MIRACLE INDUSTRIES	Mumbai	Bharat Shah	miracleinternational@hotmail.com	Discontinuou s Panel	5.5	0.605	0.397848	3.6168
206	MIRACLE INDUSTRIES	Mumbai	Bharat Shah	miracleinternational@hotmail.com	Integral Skin	0.2	0.022	0.0144672	0.13152
207	MITORA MACHINEX PVT. LTD	Plot No. 2903, Phase-4, GIDC, Vatva Ahmedabad - 382445	Mihir Patel		Commercial Refrigeration	17.6	1.936	1.2731136	11.57376
208	MITTAL REFRIGERATION	2283, Rajguru Road, Pahar Ganj, Delhi -			Commercial Refrigeration	1.3	0.1452	0.09548352	0.868032
209	MODERN PREFAB SYSTEMS PVT LTD	PLOT NO. 270, 271,273,274, SEC 7, IMT MANESAR DIST. GURGAON (HARYANA)	ADITYA KAPOOR	INFO@MODERNPREFABSYSTEMS.COM	Discontinuou s Panel	19.1	2.1054	1.38451104	12.586464
210	MOKA BUSINESS PRVATE LIMITED	No. 405, Kailash Tower, Lal Kothi, Tonk Road Jaipur	K.K. Dwivedi	info@mokabusiness.com	Integral Skin	7.0	0.77	0.506352	4.6032
211	MONGIA & CO. (MFG.DIV)	PLOT NO. 25/8 INDUSTRIAL AREA PHASE 2 CHANDIGARH	P D MONGIA	MONGIA@MONGIA.CO.IN	Commercial Refrigeration	5.0	0.55176	0.362837376	3.2985216
212	MOUNTAIN REFRIGERATION	H. NO. 288, BHANKRI CHOWK, Bhankri, Faridabad			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
213	MUKESH RESTYLES PVT LTD	NO.1, 7TH CROSS, PIPELINE ROAD, NEW CUDDAHAHALLI, MYSORE	SURESH BAGRECHA	MRPLACCOUNTS@MEFOAM.COM	General Insulation	5.6	0.618068	0.406441517	3.69492288
214	MUKESH RESTYLES PVT LTD	NO.1, 7TH CROSS, PIPELINE ROAD, NEW CUDDAHAHALLI, MYSORE	SURESH BAGRECHA	MRPLACCOUNTS@MEFOAM.COM	Integral Skin	0.8	0.08283	0.054469008	0.4951728
215	MUKESH RESTYLES PVT LTD	NO.1, 7TH CROSS, PIPELINE ROAD, NEW CUDDAHAHALLI, MYSORE ROAD BANGALORE	SURESH BAGRECHA	MRPLACCOUNTS@MEFOAM.COM	Spray Foam	7.3	0.7997	0.52588272	4.780752

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
216	MUKESH RESTYLES PVT LTD	NO.1, 7TH CROSS, PIPELINE ROAD, NEW CUDDAHAHALLI, MYSORE ROAD BANGALORE	SURESH BAGRECHA	MRPLACCOUNT S@MEFOAM.COM	Water Heater	3.3	0.3619	0.23798544	2.163504
217	MUKUL'S PROJECT	Anandalok Apartment, Ground Floor, Barabazer, Chinsurah Hooghly - 712101	Anirban Nandi	admin@mukuls.in	Discontinuous Panel	15.4	1.694	1.1139744	10.12704
218	MUSTA REFRIGERATION ENGINEERS PRIVATE	Pune & Nagpur	Mr Rohit Dok	vinay.deshmukh@mustarefrigeration.com	Commercial Refrigeration	4.4	0.484	0.3182784	2.89344
219	MUSTA REFRIGERATION ENGINEERS PRIVATE	Pune & Nagpur	Mr Rohit Dok	vinay.deshmukh@mustarefrigeration.com	Commercial Refrigeration	0.5	0.055	0.036168	0.3288
220	N. R Enterprises	New delhi	Mr. RODHE	-	Discontinuous Panel	0.5	0.055	0.036168	0.3288
221	NABIN SERVICES	1st Floor, East Chadmari, Kolkata - 700122			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
222	NARU EQUIPMENT	RM 54, Khan Gully, Opposite Garuda Petrol Pump Mumbai	Suresh Rajpal		Commercial Refrigeration	15.4	1.694	1.1139744	10.12704
223	NATIONAL ELECTRIC & REFRIGERATION CO	265, K.Kamaraj Road, Tasker Town, Shivaji Nagar, Bangalore - 560051	Sanjay Ethape	info@nec.in	Commercial Refrigeration	15.4	1.694	1.1139744	10.12704
224	NATIONAL REFRIGERATION COMPANY	No. 3, Netaji Subhash Marg, Darya Ganj, Near Old Darya Ganj Bridge New Delhi - 110002	Yogesh Kumar	natcool49@hotmail.com	Commercial Refrigeration	19.8	2.178	1.4322528	13.02048
225	NAVDEEP IMPEX	Mumbai	Jayesh Bhai	navdeepimpex@gmail.com	Discontinuous Panel	7.5	0.8228	0.54107328	4.918848
226	NAVDEEP IMPEX	Mumbai	Jayesh Bhai	navdeepimpex@gmail.com	Thermoware	2.5	0.275	0.18084	1.644
227	NEW FIBRE INDUSTRIES	BABA SUR DS INDUSTRIAL WEST. TILPAT EXTENSION, FARIDABAD (HARYANA) HARYANA	RAM NARAYAN SINGH	RAMNARAYAN@NEWFIBREINDIA.COM, RAMNARAYAN1977@GMAIL.CO	Commercial Refrigeration	3.3	0.363	0.2387088	2.17008
228	NEW PATSON ENGINEERS	B-295, Gali No 2, Main Rd, Jaipur GPO, Jaipur - 302001			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
229	NEXGEN PLASTIC & METAL COMPONENTS	W-35-C MIDC SHIRGAON BADLAPUR (E) DIST THANE THANE	JASWINDER SINGH SETHI	NEXGENPLASTIC@GMAIL.COM	Commercial Refrigeration	15.4	1.694	1.1139744	10.12704
230	NEXGEN PLASTIC & METAL COMPONENTS	W-35-C MIDC SHIRGAON BADLAPUR (E) DIST THANE THANE	JASWINDER SINGH SETHI	NEXGENPLASTIC@GMAIL.COM	Integral Skin	6.5	0.715	0.470184	4.2744
231	NICOMACCLEANROOM SFAREAST PVT. LTD.	Hyderabad	Mr. Ramesh	sales@necomacfareast.com	Discontinuous Panel	4.4	0.484	0.3182784	2.89344
232	NMS REFRIGERATION MFG.CO.	2151, 3A/2A, New Patel Nagar, Delhi - 110008			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
233	OCEAN COLD TECHNOLOGIES	No. 94A, Ram Nagar South, 13th Main Road, Madipakkam Chennai	S. Siva	ocean_cold@gmail.com	Discontinuous Panel	17.2	1.8876	1.24128576	11.284416
234	OM ENERGY EQUIPMENT	Ahmedabad	Mr. Manoj Patel	info_deltasolar@yahoo.co.in	Water Heater	0.5	0.055	0.036168	0.3288
235	OM PLAST	Vasai East, Mumbai	Mr Laxman	opi2002@gmail.com /	Thermoware	1.3	0.1375	0.09042	0.822
236	OM SHREE SAI REFRIGERATOR COMMERCIAL	R-281, Gali No-12, Laxmi Nagar, Delhi	Umesh Sharma		Commercial Refrigeration	15.4	1.694	1.1139744	10.12704
237	OMKAR PUF INSULATION PVT LTD	R-875 TTC INDL AREA MIDC NEAR GOLDEN GARAGE RABALE NAVI MUMBAI NAVI MUMBAI	SANJAY VALSANGKAR	OMKARPUFINSULATION@YAHOO.CO.IN	Discontinuous Panel	12.3	1.3552	0.89117952	8.101632
238	OMSAI REFRIGERATION	286/13, NH 4, BEHIND SUDARSHAN PETROL PUMP, GOKALE SHIRGAON KOLHAPUR	VYANKATESH S JITURI & NARAYAN S JITURI	OMSAIREFRIGERATION11@GMAIL.COM	Commercial Refrigeration	1.1	0.121	0.0795696	0.72336
239	OSHA INDUSTRIES	No 25, Mogappair Road, Padi, Chennai - 600050			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
240	Padamaja Specialities	Ernakulam, Kerala		-	Thermoware	0.5	0.055	0.036168	0.3288
241	PALMLINEINDUSTRIES	Mumbai	LalitJain	palmline@rediffmail.com	Thermoware	0.5	0.055	0.036168	0.3288
242	PARAGON INDUSTRIES	5051/13, Brij Mohan Marg, Darya Ganj, Delhi			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
243	PATHWAY ENGINEERING CO. PVT.	3, M.D. Road, 1st Floor Kolkata - 700007	Manohar Jha	pathway_kolkata@hotmail.com	Discontinuous Panel	11.0	1.21	0.795696	7.2336
244	PHOTON ENERGY SYSTEMS PVT LTD	PL NO 46 LANE NO 2 ANRICH INDUSTRIAL ESTATE IDA BOLLARAM MEDCHAL MANDAL MEDAK	K SUBHASH REDDY	PHOTONENERGY@GMAIL.COM	Discontinuous Panel	0.25	0.0275	0.018084	0.1644

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
245	POLY PRODUCTS	68-A URMI SOCIETY PRODUCTIVITY ROAD VADODARA GUJARAT GUJARAT	NAINESH SHROFF	POLYPRODUCTS@REDIFFMAIL.COM	General Insulation	4.9	0.5412	0.35589312	3.235392
246	POLY PRODUCTS	68-A URMI SOCIETY PRODUCTIVITY ROAD VADODARA GUJARAT GUJARAT	NAINESH SHROFF	POLYPRODUCTS@REDIFFMAIL.COM	Spray Foam	2.7	0.30096	0.19791296	1.7991936
247	PRAMUKH POLY PRODUCTS	Shop No 3, D Patel Terrace, Jijamata Road, Aghadi Nagar, Near Pump House, Andheri (E) Mumbai	Akshar Bakhai	info@pramukhpolyproducts.com	Integral Skin	7.6	0.836	0.5497536	4.99776
248	PRIME COMFORT PRODUCTS PRIVATE LIMITED	No. 2B/2, Echotech- 3, Udyog Kendra Greater Noida	Mr. Chetan	info@primecomforts.com	Integral Skin	6.0	0.66	0.434016	3.9456
249	PRINCWARE INTERNATIONAL PVT. LTD.	Daman - 396210	Anil verma	sales@princeware.net	Thermoware	12.5	1.375	0.9042	8.22
250	PRITAM REFRIGERATION ENGG	BEFORE 2ND RAILWAY CROSSING, SMURTI NAGAR, KARADI ROAD, BOKHARA NAGPUR	PRITAM NATHULAL CHHAPRE	PRITAMREFRIGERATION@REDIFFMAIL.COM	Commercial Refrigeration	1.1	0.121	0.0795696	0.72336
251	PUSHPA GAS EQPT	Shop No 2, Dheeraj Kiran Bldg, Link Rd, Malad West, Mumbai			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
252	RAEHI TECH ENGINEER PVT LTD	B7, Kailash Colony, Delhi - 110048			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
253	RAGAM POLYMOULDS PRIVATE LTD	R S NO 29/3C KIZHMENI VILLAGE CHINNAMBEDU POST PONNERI TALUK TRIVELLORE DIST TAMIL NADU	MOHAN RAJ	RAGAMPOLY@GMAIL.COM	Integral Skin	1.0	0.11	0.072336	0.6576
254	RAJA COOL HOME INDUSTRIES	B 34 / 3337, Shakti Vihar, Haibowal Kalan Ludhiana	Mr. Rajesh Talwar		Commercial Refrigeration	1.3	0.14278	0.093892128	0.8535648
255	RAJESH INDUSTRIES	Ahmedabad	Ashwin Bhai	info@rajesshriseatingsystem.in	Commercial Refrigeration	4.4	0.484	0.3182784	2.89344
256	RAMA KRISHNA MOULDERS	PLOT NO. 31, PHASE II, BADLI INDUSTRIAL AREA DELHI	VIPIN GUPTA	RAMAKRISHNA MOULDERS@GMAIL.COM	Thermoware	1.9	0.20625	0.13563	1.233
257	RASHMI INDUSTRIES	Bangalore	Mr. R.Ashok	info@rashmisolar.com	Commercial Refrigeration	3.3	0.363	0.2387088	2.17008
258	REDREN ENERGY PVT LTD	Ahmedabad	Mr. Prashant Jivrajani	purchase@redren.in	Water Heater	1.3	0.1375	0.09042	0.822
259	REWA REFRIGERATION	2, Chandra Bhaga, Juni, Indore			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
260	RKI DOORS	Pune & Nagpur	HARISH GANDHI	rkidoors@gmail.com	Discontinuous Panel	3.3	0.363	0.2387088	2.17008
261	ROYAL REFRIGERATION WORK	Shop no. 2151 /E4 /3a, Near Main Red Light Chowk , Shadipur, Delhi			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
262	S D SCIENTIFIC COMPANY	D-130 SOUTH GANESH NGR DELHI	S K SHARMA	SD_SCIENTIFIC@REDIFFMAIL.COM	Commercial Refrigeration	0.1	0.0121	0.00795696	0.072336
263	S D SCIENTIFIC COMPANY	D-130 SOUTH GANESH NGR DELHI	S K SHARMA	SD_SCIENTIFIC@REDIFFMAIL.COM	General Insulation	0.1	0.00605	0.00397848	0.036168
264	S P INNOVATIVE SOLUTIONS	Plot No 15, Pipe Line Road, Shapur Nagar, Hyderabad			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
265	S R ENTERPRISES	7045, Gali Patak Wali, Azad Market, Delhi - 110006			Commercial Refrigeration	0.2	0.0242	0.01591392	0.144672
266	S R TECH PVT LTD	PLOT NO 102 S V CO-OPERATIVE SOCIETY JEEDIMETLA HYDERABAD	MOHAN KRISHNA A	CONTACT@SRTECH.IN	Discontinuous Panel	0.2	0.022	0.0144672	0.13152
267	S S ENTERPRISES	Rz A-1/180, Vijay Enclave, Palam Dabri Road, Palam Village, Delhi			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
268	S V ENTERPRISES	227 HPSIDC INDL AREA BADOLI DIST SOLAN MP SOLAN	SUDHIR KUMAR GUPTA	SKG227@GMAIL.COM	Water Heater	3.5	0.385	0.253176	2.3016
269	S. M. ENGINEERING WORKS	Shop No. A1, 1st Floor, Satya Nagar, Opposite Eagle Market, Near Anil Restaurant, 90 Feet Road, Sakinaka, Andheri East Mumbai - 400072	Moinuddin N. Sayyed		Commercial Refrigeration	15.4	1.694	1.1139744	10.12704

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
270	S.A.G. ENGINEERING PRODUCTS	G. No. 15, DK Market, Subhash Nagar, Jangleshwar Road, Asalpha Village, Ghatkoper West, Survey No. 23 Mumbai - 400086	Prashant Gatkal		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
271	SAGAR INDUSTRIES	D-39 SECTOR 63 NOIDA UP NOIDA	ANIL VERMA	ANIL.VERMA@SAGARINDUSTRIES.COM	Thermoware	6.3	0.6875	0.4521	4.11
272	SAI INSULATION	No. 170, N- 3, Near Ajaydeep Complex Aurangabad	Shivaji Rao Chavan	anirudh@saiinsulation.com	Discontinuous Panel	15.0	1.6456	1.08214656	9.837696
273	SANJAY REFRIGERATION CO	3776/111,1st Floor, Netaji Subhash Marg, Darya Ganj, Delhi - 110002	Mr. Sanjay		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
274	SARKAR REFRIGERATION INDUSTRIES	Shop No 86, Dhantoli, Nagpur - 440012	Jyotirmoy Sarkar		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
275	SAWHNEY INDUSTRIES	11, Ram Bagh, Opp. Gau Shalla, Backside Transport Nagar Jalandhar - 144004	Jasminder	sawhneyindustries@gmail.com	Water Heater	5.0	0.55	0.36168	3.288
276	SEA BIRD REFRIGERATION PVT LTD	46, Hasanpur Main Road, Yojana Vihar, Delhi			Commercial Refrigeration	17.6	1.936	1.2731136	11.57376
277	SEVEN STAR AIR CONDITONING (P) LTD	9 CHARI STREET T NAGAR CHENNAI	S SRIRAM/ S SANKARAN	SRIRAM62@GMAIL.COM / SSANKARAN46@GMAIL.COM	General Insulation	3.7	0.4114	0.27053664	2.459424
278	SHAKYA POLYMER	J 401 OLD SEEMAPURI, MAIN POLICE STATION DELHI	MAHESH CHANDER	MAHESHSHSHAKYA@GMAIL.COM	General Insulation	10.1	1.1132	0.73204032	6.654912
279	SHAKYA STATIONARIES	J-401, OLD SEEMA PURI, MAIN POLICE STATION DELHI	MR MAHESH CHANDER	MAHESHSHSHAKYA@GMAIL.COM	General Insulation	1.5	0.1694	0.11139744	1.012704
280	SHAKYA STATIONARIES	J-401, OLD SEEMA PURI, MAIN POLICE STATION DELHI	MR MAHESH CHANDER	MAHESHSHSHAKYA@GMAIL.COM	Spray Foam	5.3	0.5775	0.379764	3.4524
281	SHARAD ENTERPRISES	C-4/3 1ST FLOOR SECTOR-15 ROHINI N DELHI N DELHI	VED PRAKASH / LALIT	SHARAD.ENTERPRISES@GMAIL.COM / SHARAD_ENTERPRISES@YAHOO.COM	Integral Skin	5.0	0.55	0.36168	3.288
282	SHARAD ENTERPRISES	C-4/3 1ST FLOOR SECTOR-15 ROHINI N DELHI N DELHI	VED PRAKASH / LALIT	SHARAD.ENTERPRISES@GMAIL.COM / SHARAD_ENTERPRISES@YAHOO.COM	Spray Foam	6.3	0.6875	0.4521	4.11
283	SHARAD ENTERPRISES	C-4/3 1ST FLOOR SECTOR-15 ROHINI N DELHI N DELHI	VED PRAKASH / LALIT	SHARAD.ENTERPRISES@GMAIL.COM / SHARAD_ENTERPRISES@YAHOO.COM	Water Heater	10.0	1.1	0.72336	6.576
284	Sharp Batteries	Pawane MIDC, Navi Mumbai	Balbir Pal Saini	bps@sball.com	General Insulation	0.4	0.0484	0.03182784	0.289344
285	SHIPRA INDUSTRIES	Flat No. 107, Ucchav Villa, Jagdamba Colony, Vaishali Nagar Jaipur	Vikram Singh Tanwar		Commercial Refrigeration	0.5	0.055	0.036168	0.3288
286	SHIPRA INDUSTRIES	Flat No. 107, Ucchav Villa, Jagdamba Colony, Vaishali Nagar Jaipur	Vikram Singh Tanwar		Commercial Refrigeration	15.4	1.694	1.1139744	10.12704
287	SHIV POLYMERS	58 POCKET D-16 SECTOR-3 ROHINI DELHI	ASHOK KUMAR SINGLA	AKSINGLA1973@GMAIL.COM	General Insulation	19.8	2.178	1.4322528	13.02048
288	SHIVANSH REFRIGERATION	Shop No-M 64, Sec-12, Pratap Vihar, Vijay Nagar, Ghaziabad			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
289	SHREE SAI REFRIGERATION PVT LTD	PLOT NO 25-30/I/A MAYURI NAGAR NEAR APSEB SUB STATION R C PURAM HYDERABAD	RAMA KRISHNA V	SHREEESAIREFRIGERATION@GMAIL.COM	Commercial Refrigeration	0.5	0.055	0.036168	0.3288
290	SHREE SAI REFRIGERATION PVT LTD	PLOT NO 25-30/I/A MAYURI NAGAR NEAR APSEB SUB STATION R C PURAM HYDERABAD	RAMA KRISHNA V	SHREEESAIREFRIGERATION@GMAIL.COM	Commercial Refrigeration	0.2	0.022	0.0144672	0.13152
291	SHREE VENUS ENERGY SYSTEM PVT LTD	NO 135, BURMA COLONY, RAJIV GANDHI SALAI, OLD MAHABALIPURAM, PERUNGUDI, CHENNAI - 600096 CHENNAI	MR. C.PALANIAPPAN	SHREEVENUS3@GMAIL.COM/SHREEVENUS@VSNL.NET	Discontinuous Panel	4.0	0.4356	0.28645056	2.604096

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
292	SHREE VENUS ENERGY SYSTEM PVT LTD	NO 135, BURMA COLONY, RAJIV GANDHI SALAI, OLD MAHABALIPURAM, PERUNGUDI, CHENNAI - 600096 CHENNAI	MR. C.PALANIAPPAN	SHREEVENUS3@GMAIL.COM/S HREEVENUS@V SNL.NET	General Insulation	9.2	1.0164	0.66838464	6.076224
293	SHREE VENUS ENERGY SYSTEM PVT LTD	NO 135, BURMA COLONY, RAJIV GANDHI SALAI, OLD MAHABALIPURAM, PERUNGUDI, CHENNAI - 600096 CHENNAI	MR. C.PALANIAPPAN	SHREEVENUS3@GMAIL.COM/S HREEVENUS@V SNL.NET	Spray Foam	2.0	0.22	0.144672	1.3152
294	SHREEJI SEATING SYSTEM	F-9/10, MIDC AMBAD, NASHIK	BORSE RAJENDRA BHASKAR RAO	RAJENDRABORSE@REDIFFMAIL.COM / SHREEJISEATINGSYSTEM@GM AIL.COM	Discontinuous Panel	4.0	0.4356	0.28645056	2.604096
295	SHREEJI SEATING SYSTEM	F-9/10, MIDC AMBAD, NASHIK	BORSE RAJENDRA BHASKAR RAO	RAJENDRABORSE@REDIFFMAIL.COM / SHREEJISEATINGSYSTEM@GM AIL.COM	Integral Skin	1.6	0.176	0.1157376	1.05216
296	SHREERAME SYSTEMS	Pune & Nagpur	Gamre	bgg@shreyasystems.com	Discontinuous Panel	4.4	0.484	0.3182784	2.89344
297	SHRIRAM INDUSTRIES	No. 3, Samroz Industrial Estate, Ram Mandir Road, Goregaon West Mumbai	Ashok Modi	shriram_industries@hotmail.com	Thermoware	2.0	0.22	0.144672	1.3152
298	SIDWAL REFRIGERATION INDUSTRIES LTD	108A, Madangir, Delhi - 110062	MR Kapil Wadhwa	sidwal@vsnl.com	Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
299	Sigma Refrigeration	No. 3745, Shop No.1& 7, Kucha Parmanand, Netaji Shubhash Marg, Darya Ganj New Delhi - 110002		-	Commercial Refrigeration	0.2	0.0242	0.01591392	0.144672
300	SKY CON APPLIANCES	A-81, Ground Floor, Shop No-1, Asha Park, Jail Road, Tilak Nagar, Delhi			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
301	SKY PUFF INSULATION CO	Block No. 10, Aziz Industrial Compound Dargah Cross Road, Sonapur, Bhandup West Mumbai	Mani	sky_puff@gmail.com	Discontinuous Panel	17.6	1.936	1.2731136	11.57376
302	SMART ENTERPRISES	NEAR TERMINAL MARKET SECTOR-6 PARWANOO (HP)	GAUTAM KHURANA	SMARTENTERPRISES1@GMAIL.COM	Water Heater	6.3	0.6875	0.4521	4.11
303	SNOW SPACE REFRIGERATION	Jail Road, Shiv Nagar, New Delhi			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
304	SOLANKI KITCHEN PALACE	B 2, Sector 10, Noida - 201301			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
305	SOLARIUM SOLAR POWER SYSTEMS	PLOT NO 4 & 5 GREWAL NAGAR ROAD INDUSTRIES AREA VPO HAMBRA LUDHIANA	ABHINANDAN RAI DHIMAN	SOLARIUM.INDIA@GMAIL.COM	Water Heater	2.6	0.28875	0.189882	1.7262
306	SPANTECH INDIA	D-18, Sant Garh, Tilak Nagar, New Delhi	Mr. Mandeep Singh	info@spantechindia.com	Commercial Refrigeration	17.6	1.936	1.2731136	11.57376
307	SRG INTERNATIONAL PRIVATE LIMITED	Plot No. 13A, Sector-4, Industrial Area Faridabad	Sumit Garg	info@srginternational.com	Discontinuous Panel	17.6	1.936	1.2731136	11.57376
308	SRI BALAJI ENGINEERINGS	6/39, Saravana St, T Nagar, Chennai			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
309	SRIRAM FOAMS PRIVATE LIMITED	NO 72 1ST FLOOR MEHTA VILLA BALAJI NAGAR ANNANAGAR WEST CHENNAI CHENNAI	P MUTHU KUMAR	MUTHUKUMAR@SRIRAMFOAMS.COM	General Insulation	1.3	0.1452	0.09548352	0.868032
310	SRIRAM FOAMS PRIVATE LIMITED	NO 72 1ST FLOOR MEHTA VILLA BALAJI NAGAR ANNANAGAR WEST CHENNAI CHENNAI	P MUTHU KUMAR	MUTHUKUMAR@SRIRAMFOAMS.COM	Integral Skin	7.7	0.8514	0.55988064	5.089824
311	SRIRAM FOAMS PRIVATE LIMITED	NO 72 1ST FLOOR MEHTA VILLA BALAJI NAGAR ANNANAGAR WEST CHENNAI CHENNAI	P MUTHU KUMAR	MUTHUKUMAR@SRIRAMFOAMS.COM	Spray Foam	0.3	0.033	0.0217008	0.19728
312	STAR CONTINENTAL INDS	Plot No 189, Shahbad Daulatpur, Street No 4, Samaypur Badli, Delhi			Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
313	STAR REFRIGERATION & ENGINEERING CO	F-65, West Jawahar Park, Laxmi Nagar, Delhi	Gurbeer Sing		Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
314	Stark Air Pvt Ltd	12-53-1, Sy. No. 807 (Part), Medchal Industrial Estate, Medchal, Ranga Reddy Distric	Sunil Kumar	-	Discontinuou s Panel	0.5	0.055	0.036168	0.3288
315	SUBHAM INTERNATIONAL	343, Vadhiyar Thottam Madhavaram Redhills Road, Madhavaram, Chennai - 600060	Vaastupal Jain	subham_international@rediffmail	Thermoware	2.5	0.275	0.18084	1.644
316	SUDARSHANSAUR SHAKTI PVT LTD	FACTORY/WORSK K-240 & 241, MRDC WALUJ AURANGABAD	SUDARSHAN BARGAJE	OFFICE@SUDARSHANSAUR.COM / WORKS@SUDARSHANSAUR.COM	Water Heater	9.9	1.087625	0.7152222	6.50202
317	SUN FREE HEAT INDUSTRIES	Ahmedabad	Sumit Singh	sunfree230423@yahoo.com	Water Heater	0.1	0.01375	0.009042	0.0822
318	SUNKIST MOULDERS PRIVATE LIMITED, PUNE	715, Khadakmalali, Guruwar Peth Pune	Rakesh	sunkist_moulders@gmail.com	Thermoware	1.3	0.1375	0.09042	0.822
319	SUNLIGHT MOULDERS	2286 MODERN INDUSTRIAL ESTATE BAHADUR GARH HARYANA	VED KUMARI GAMBHIR		Integral Skin	15.6	1.716	1.1284416	10.25856
320	SUNPOWER INDUSTRIES	No. 11, 11th Main, 2nd Cross, Tata Nagar, Kodigehalli Bengaluru - 560092	Nagaraju	blr.sunpower@gmail.com	Water Heater	5.0	0.55	0.36168	3.288
321	SUNRISE REFRIGERATION & AIRCONDITIONING	B-74 NARAINA INDUSTRIAL AREA PHASE-II NEW DELHI	SUMIT GULATI	AVON_REFRIGERATION@REDIFFMAIL.COM	Commercial Refrigeration	0.2	0.01694	0.011139744	0.1012704
322	SUNRISE REFRIGERATION & AIRCONDITIONING	B-74 NARAINA INDUSTRIAL AREA PHASE-II NEW DELHI	SUMIT GULATI	AVON_REFRIGERATION@REDIFFMAIL.COM	Discontinuou s Panel	0.2	0.01694	0.011139744	0.1012704
323	SUNRISE REFRIGERATION & AIRCONDITIONING	B-74 NARAINA INDUSTRIAL AREA PHASE-II NEW DELHI	SUMIT GULATI	AVON_REFRIGERATION@REDIFFMAIL.COM	General Insulation	0.1	0.00847	0.005569872	0.0506352
324	SUPER REFRIGERATION	New delhi	Mr. Bawa		Commercial Refrigeration	5.3	0.5808	0.38193408	3.472128
325	SUPER STAR REFRIGERATION	Ausa Road, Ausa Road, Latur - 413531			Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
326	SURBHI POLYMERS	1045 MODERN INDUSTRIAL ESTATE PART A BAHADUR GARH HARYANA HARYANA	ANJU GAMBHIR	SURBHIPOLYMERS@REDIFFMAIL.COM	Integral Skin	13.7	1.507	0.9910032	9.00912
327	SYNERGY AGROTECH PVT LTD	A 305 To 308, Shapath Hexa, Sarkhej Gandhinagar Highway, Sola, Ahmedabad	Mr. Harshal Sarada	synergyagrotech@gmail.com	Commercial Refrigeration	0.7	0.0726	0.04774176	0.434016
328	SYNERGY THRISLINGTON	27, Phase 3, Industrial Area, Sector 58, Sahibzada Ajit Singh Nagar, Punjab 160055	Dev Kumar		Discontinuou s Panel	17.3	1.898974	1.248765302	11.35241184
329	SYSTEMAIR INDIA PRIVATE LIMITED	PLOT NO 3, SECTOR 31, KASNA, GREATER NOIDA, UTTAR PRADESH NOIDA	ALOK BHARDWAJ	ALOK.BHARDWAJ@SYSTEMAIR.IN	Discontinuou s Panel	5.9	0.6534	0.42967584	3.906144
330	TECHNO MAK	Nashik, Maharashtra, India	Mr. Vineesh Mekoth	info@technomak.com	Integral Skin	8.5	0.935	0.614856	5.5896
331	TECHNOHEAT MFG. & CONTROL	S. No. 17, Kondhwa Budruk Pune - 411048	Ejaz Chiniwar	reliefgeysers@yahoo.co.in	Water Heater	5.0	0.55	0.36168	3.288
332	THE REFRIGERATION CULTURE	1, Industrial area, GT Karnal Road, Azadpur, Delhi			Commercial Refrigeration	15.4	1.694	1.1139744	10.12704
333	THE VENDING COMPANY	PLOT NO 28, SECTOR-4, IIE, SIDCUL, RUDRAPUR, DISTRICT: UDHAM SINGH NAGAR, UTTARAKHAND UTTARAKHAND	SAHUL KHURANA	SAHUL@THEVC.IN	Discontinuou s Panel	4.8	0.5324	0.35010624	3.182784
334	THERMOKING	A- 24, Naraina Industrial Area, Phase- 1 Delhi - 110028	Diyanashu Khanna	thermoking@gmail.com	Water Heater	10.0	1.1	0.72336	6.576
335	U FOAM PVT LTD	PLOT NO 15 & 16 INDUSTRIAL ESTATE SANATHNAGAR HYDERABAD	M SRINIVAS		Spray Foam	0.41	0.0451	0.02965776	0.269616
336	UMA THROMPLAST	12, Samrat Industrial Area, B/h. S. T. Workshop Rajkot		umathermoplast@yahoo.com	Thermoware	1.5	0.165	0.108504	0.9864
337	UNIFIX PLAST PVT LTD	PLOT 8, PHASE II, KASBA INDUSTRIAL ESTATE	M L AGARWAL	UNIFIXPLAST@GMAIL.COM	Discontinuou s Panel	13.2	1.452	0.9548352	8.68032
338	UNIFIX PLAST PVT LTD	PLOT 8, PHASE II, KASBA INDUSTRIAL ESTATE	M L AGARWAL	UNIFIXPLAST@GMAIL.COM	Spray Foam	6.0	0.66	0.434016	3.9456
339	UNITECH KITCHEN EQUIPMENT	Wz-95 Om Vihar Phase 2, Uttam Nagar, Delhi	Mr. M. Sudhakar		Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
340	USARA POLYMER PVT LTD	OFFICE NO 313, BAWA TOWER, SEC 17, VASHI NAVI MUMBAI	SACIDANANDA MISHRA	USARAPOLYMER@GMAIL.COM	Discontinuou s Panel	0.5	0.055	0.036168	0.3288
341	USARA POLYMER PVT LTD	OFFICE NO 313, BAWA TOWER, SEC 17, VASHI NAVI MUMBAI	SACIDANANDA MISHRA	USARAPOLYMER@GMAIL.COM	Discontinuou s Panel	9.2	1.012	0.6654912	6.04992

Sr No	Name of the Enterprise	Address	Contact Person	E-mail	Sub-Sector	HCFC-141b consumption in 2014 (MT)	HCFC-141b consumption in 2014 (ODP tonne)	Approved Phased out (ODP tonnes)	Approved Phased out (MT)
342	VARDHMAN AIRCONDITIONING PVT LTD	B 3, Shivlok House 1, Commercial Complex, Karampura, Delhi	Mr. VINEET JAIN		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
343	VARIETY KITCHEN EQUIPMENTS	Shop no. 2151/E1/A1, MAIN PATEL ROAD, Patel Nagar, Delhi			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
344	VATSON FOAMS PVT LTD	108 33/133 OFFICERS COLONY RAMA KRISHNA PURAM SECUNDERABAD	SHASHIDHAR N	ADMIN@VATSON.IN / VATSON.FOAMS@GMAIL.COM	General Insulation	0.23	0.0253	0.01663728	0.151248
345	Ved Engineering	Anand Parbat, New Delhi, Delhi	Mr Sagar	-	Thermoware	0.3	0.0275	0.018084	0.1644
346	VENUS	Chennai	K Gurusamy	venus@yahoo.co.in	Discontinuous Panel	4.0	0.4356	0.28645056	2.604096
347	VIJAY REFRIGERATION	1-23,1-21 Gobind Udyog Bhavan, Off L B S Road, Mulund West, Mumbai	Mr Vijay Shetty		Commercial Refrigeration	0.4	0.0484	0.03182784	0.289344
348	VIJAYRAJ FOAM INDUSTRIES	Survey. No. 35/3, Tathawade, Thergaon Pune	Rajshri Sutar	vijayraj_foam@gmail.com	Integral Skin	8.0	0.88	0.578688	5.2608
349	VIKAS STEEL	A-207 DDA FLATS DOUBLE STORY KALKAJI	KAMAL KUMAR	VIKASSTEELCENTRE@HOTMAIL.COM	Discontinuous Panel	4.4	0.484	0.3182784	2.89344
350	VIKING ENGINEERS PVT LTD	285 SECTOR 58 BALLABGARH FARIDABAD HARYANA	S K KHANNA	KHANNASK07@GMAIL.COM	Discontinuous Panel	11.0	1.21	0.795696	7.2336
351	VND CELL PLAST	SARVEY NO 230 BIBI NAGAR JEMEELPETS NALGONDA TELANGANA TELANGANA	D CHANDRASHEKHAR REDDY	VNDCELLPLAST@YAHOO.CO.IN	General Insulation	13.2	1.452	0.9548352	8.68032
352	VND CELL PLAST	SARVEY NO 230 BIBI NAGAR JEMEELPETS NALGONDA TELANGANA TELANGANA	D CHANDRASHEKHAR REDDY	VNDCELLPLAST@YAHOO.CO.IN	Spray Foam	13.2	1.452	0.9548352	8.68032
353	Vyas Maolders	Shahzada Bagh, Delhi		-	Thermoware	0.5	0.055	0.036168	0.3288
354	W G COMMERCIAL STEEL EQUIPMENTS MANUFACTURING INDUSTRY	Plot No 9, Street No 7, Mundka, Delhi			Commercial Refrigeration	0.9	0.0968	0.06365568	0.578688
355	ZECO AIRCON LIMITED	O-1 & O-5 OLD INDUSTRIAL AREA BAHADURGARH HARYANA	SUDHIR KUMAR JHA	SKJHA@ZECOAIRCON.COM / KARTIK@ZECO AIRCON.COM	Discontinuous Panel	9.7	1.0648	0.70021248	6.365568
356	ZENITH KITCHEN EQUIPMENT	VD Honda Building, Plot No. 66, Khasara 61, Matiyala Industrial Area, Behind DP School, Dwarka, Sector 3 New Delhi - 110059	Shabbir Hasnain		Commercial Refrigeration	17.6	1.936	1.2731136	11.57376
	Total					1591.9	175.106	115.15	1046.82

Note: # Proposal was for phase out of 4814 ODP Metric tonne or 529.54 ODP tonne against which the Ex-Com approval is for 3166 Metric Tonne and 348.26 ODP tonne, which is 65.76%. The revision has been done in figures of consumption accordingly.